

Die vier Grundrechenarten mit ganzen Zahlen

Code Nr. 1

Nr. 1

Name:
Klasse:

Datum:

1.) ●●	$(-6) \cdot (+40) = \underline{\hspace{2cm}}$	$(-200) + (+200) = \underline{\hspace{2cm}}$	A 1	-240 0
2.) ●●	$-300 : (+10) = \underline{\hspace{2cm}}$	$20 \cdot (+31) = \underline{\hspace{2cm}}$	A 2	-30 620
3.) ●●	$200 + (-4\ 000) = \underline{\hspace{2cm}}$	$-4\ 600 - (-5\ 700) = \underline{\hspace{2cm}}$	A 3	-3800 1100
4.) ●●	$-460 - (-1\ 000) = \underline{\hspace{2cm}}$	$(-480) + 2\ 200 = \underline{\hspace{2cm}}$	A 4	540 1720
5.) ●●	$2\ 000 - (+4\ 000) = \underline{\hspace{2cm}}$	$-5\ 246 : (-86) = \underline{\hspace{2cm}}$	A 5	-2000 61
6.) ●●	$-50 \cdot \underline{\hspace{2cm}} = -3400$	$1\ 600 : \underline{\hspace{2cm}} = -40$	A 6	68 (-40)
7.) ●●	$1\ 300 - (-3\ 000) = \underline{\hspace{2cm}}$	$(+4\ 800) : (+200) = \underline{\hspace{2cm}}$	A 7	4300 24
8.) ●●	$-34 \cdot \underline{\hspace{2cm}} = 6800$	$2\ 000 : \underline{\hspace{2cm}} = -20$	A 8	(-200) (-100)
9.) ●●	$(-47) \cdot (-10) = \underline{\hspace{2cm}}$	$-553 : \underline{\hspace{2cm}} = 79$	A 9	470 (-7)
10.) ●●	$(+80) \cdot \underline{\hspace{2cm}} = 6400$	$300 - (+5\ 500) = \underline{\hspace{2cm}}$	A 10	80 -5200
11.) ●●	$4\ 600 + \underline{\hspace{2cm}} = 6600$	$(-90) \cdot \underline{\hspace{2cm}} = -3600$	A 11	2\ 000 40
12.) ●●	$\underline{\hspace{2cm}} \cdot 150 = 8100$	$5\ 500 - \underline{\hspace{2cm}} = 4000$	A 12	+54 1\ 500
13.) ●●	$7\ 000 + \underline{\hspace{2cm}} = 7300$	$(+4\ 000) : \underline{\hspace{2cm}} = 200$	A 13	300 20
14.) ●●	$-84 \cdot (-81) = \underline{\hspace{2cm}}$	$\underline{\hspace{2cm}} \cdot (-70) = -3990$	A 14	6804 57
15.) ●●	$\underline{\hspace{2cm}} : 700 = -9$	$\underline{\hspace{2cm}} + (-10\ 000) = -14000$	A 15	-6\ 300 -4\ 000

© 2015 Bernhard Storch

erstellt mit RAGTIMEEDU tools



netzwerk
lernen

zur Vollversion

Die vier Grundrechenarten mit ganzen Zahlen

Code Nr. 2

Nr. 2

Name:
Klasse:

Datum:

1.) ●●	$30 \cdot (-48) = \underline{\hspace{2cm}}$	$30 \cdot 90 = \underline{\hspace{2cm}}$	A 1	-1440 2700
2.) ●●	$-720 + 2\,700 = \underline{\hspace{2cm}}$	$-2\,000 - (-2\,000) = \underline{\hspace{2cm}}$	A 2	1980 0
3.) ●●	$4\,900 : (+70) = \underline{\hspace{2cm}}$	$(-2\,000) + (+300) = \underline{\hspace{2cm}}$	A 3	70 -1700
4.) ●●	$(-3\,000) - (+20) = \underline{\hspace{2cm}}$	$-2\,400 : (-30) = \underline{\hspace{2cm}}$	A 4	-3020 80
5.) ●●	$(+600) + (-5\,000) = \underline{\hspace{2cm}}$	$(+2\,700) : (-54) = \underline{\hspace{2cm}}$	A 5	-4400 -50
6.) ●●	$(+25) \cdot \underline{\hspace{2cm}} = 2500$	$-1\,600 - (-5\,800) = \underline{\hspace{2cm}}$	A 6	100 4200
7.) ●●	$-20 \cdot \underline{\hspace{2cm}} = 2000$	$(-2\,400) + (+1\,000) = \underline{\hspace{2cm}}$	A 7	(-100) -1400
8.) ●●	$-3\,000 - \underline{\hspace{2cm}} = -2460$	$(+50) \cdot \underline{\hspace{2cm}} = 1250$	A 8	(-540) 25
9.) ●●	$(-70) \cdot (+31) = \underline{\hspace{2cm}}$	$(-40) \cdot (-120) = \underline{\hspace{2cm}}$	A 9	-2170 4800
10.) ●●	$50 \cdot (-60) = \underline{\hspace{2cm}}$	$(-5\,600) : (+70) = \underline{\hspace{2cm}}$	A 10	-3000 -80
11.) ●●	$6\,000 : \underline{\hspace{2cm}} = 30$	$(-1\,000) + (-4\,000) = \underline{\hspace{2cm}}$	A 11	200 -5000
12.) ●●	$-4\,400 : \underline{\hspace{2cm}} = 11$	$\underline{\hspace{2cm}} + (-15\,000) = -22000$	A 12	(-400) -7\,000
13.) ●●	$\underline{\hspace{2cm}} : (-6) = 270$	$(-2\,000) + (+2\,300) = \underline{\hspace{2cm}}$	A 13	-1\,620 300
14.) ●●	$\underline{\hspace{2cm}} : 60 = -90$	$\underline{\hspace{2cm}} \cdot 780 = 8580$	A 14	-5\,400 11
15.) ●●	$\underline{\hspace{2cm}} \cdot (+300) = -7800$	$(-60) \cdot \underline{\hspace{2cm}} = -3900$	A 15	-26 65

© 2015 Bernhard Storch

erstellt mit RAGTIMEEDU tools



netzwerk
fernen

zur Vollversion

Die vier Grundrechenarten mit ganzen Zahlen

Code Nr. 3

Nr. 3

Name:
Klasse:

Datum:

1.) ●●	$(+3\ 200) - 900 = \underline{\hspace{2cm}}$	$-1\ 000 - 1\ 500 = \underline{\hspace{2cm}}$	A 1	2300 -2500
2.) ●●	$40 \cdot (-35) = \underline{\hspace{2cm}}$	$(-60) \cdot (-17) = \underline{\hspace{2cm}}$	A 2	-1400 1020
3.) ●●	$(-13) \cdot (-160) = \underline{\hspace{2cm}}$	$3\ 600 - (-1\ 300) = \underline{\hspace{2cm}}$	A 3	2080 4900
4.) ●●	$3\ 500 - (+1\ 000) = \underline{\hspace{2cm}}$	$(-40) \cdot (-50) = \underline{\hspace{2cm}}$	A 4	2500 2000
5.) ●●	$(+2\ 100) - (-2\ 000) = \underline{\hspace{2cm}}$	$-4\ 800 : (+80) = \underline{\hspace{2cm}}$	A 5	4100 -60
6.) ●●	$(+5\ 000) + \underline{\hspace{2cm}} = 5430$	$-60 \cdot (+50) = \underline{\hspace{2cm}}$	A 6	430 -3000
7.) ●●	$(-4\ 000) - \underline{\hspace{2cm}} = -8700$	$(-740) + (+7\ 000) = \underline{\hspace{2cm}}$	A 7	4\ 700 6260
8.) ●●	$5\ 300 - \underline{\hspace{2cm}} = 6500$	$-5\ 063 : \underline{\hspace{2cm}} = 83$	A 8	(-1\ 200) 61
9.) ●●	$(-200) : \underline{\hspace{2cm}} = -1$	$(+4\ 900) : (-70) = \underline{\hspace{2cm}}$	A 9	200 -70
10.) ●●	$(-4\ 000) - \underline{\hspace{2cm}} = -16000$	$-1\ 500 + (+4\ 900) = \underline{\hspace{2cm}}$	A 10	12\ 000 3400
11.) ●●	$-18 \cdot \underline{\hspace{2cm}} = -3600$	$(+7\ 000) + \underline{\hspace{2cm}} = 5400$	A 11	200 (-1\ 600)
12.) ●●	$5\ 000 + 500 = \underline{\hspace{2cm}}$	$(-3\ 000) - \underline{\hspace{2cm}} = 5400$	A 12	5500 (-8\ 400)
13.) ●●	$4 \cdot (-1\ 000) = \underline{\hspace{2cm}}$	$-83 \cdot \underline{\hspace{2cm}} = -4980$	A 13	-4000 60
14.) ●●	$(+320) - (-7\ 900) = \underline{\hspace{2cm}}$	$\underline{\hspace{2cm}} : 18 = 60$	A 14	8220 +1\ 080
15.) ●●	$3\ 649 : \underline{\hspace{2cm}} = -41$	$(+5\ 100) - (-1\ 000) = \underline{\hspace{2cm}}$	A 15	(-89) 6100

© 2015 Bernhard Storch

erstellt mit RAGTIME EDU tools



netzwerk
fernen

zur Vollversion

Die vier Grundrechenarten mit ganzen Zahlen

Code Nr. 48

Nr. 48

Name:
Klasse:

Datum:

1.) ●●	$-58 - (+2\ 000) = \underline{\hspace{2cm}}$	$-2\ 704 : (-52) = \underline{\hspace{2cm}}$	A 1	-2058 52
2.) ●●	$12 : (-2) = \underline{\hspace{2cm}}$	$-4\ 000 + (+1\ 000) = \underline{\hspace{2cm}}$	A 2	-6 -3000
3.) ●●	$(-2\ 000) + 6\ 100 = \underline{\hspace{2cm}}$	$2\ 000 - (-670) = \underline{\hspace{2cm}}$	A 3	4100 2670
4.) ●●	$(-4\ 300) + (-600) = \underline{\hspace{2cm}}$	$(+71) \cdot (+53) = \underline{\hspace{2cm}}$	A 4	-4900 3763
5.) ●●	$(-2\ 448) : (-36) = \underline{\hspace{2cm}}$	$(-620) + (-1\ 800) = \underline{\hspace{2cm}}$	A 5	68 -2420
6.) ●●	$(+2\ 200) : 50 = \underline{\hspace{2cm}}$	$(-3\ 300) : \underline{\hspace{2cm}} = -150$	A 6	44 (+22)
7.) ●●	$(+3\ 600) - 1\ 800 = \underline{\hspace{2cm}}$	$-3\ 000 - \underline{\hspace{2cm}} = 6600$	A 7	1800 (-9 600)
8.) ●●	$(+2\ 560) : 80 = \underline{\hspace{2cm}}$	$84 \cdot \underline{\hspace{2cm}} = -5880$	A 8	32 (-70)
9.) ●●	$-5\ 000 - \underline{\hspace{2cm}} = -15000$	$-70 \cdot \underline{\hspace{2cm}} = -7700$	A 9	10 000 110
10.) ●●	$-5\ 500 : \underline{\hspace{2cm}} = -100$	$-4\ 800 + 6\ 000 = \underline{\hspace{2cm}}$	A 10	(+55) 1200
11.) ●●	$\underline{\hspace{2cm}} : (+45) = -130$	$\underline{\hspace{2cm}} - 1\ 900 = 4100$	A 11	-5 850 +6 000
12.) ●●	$4\ 000 - 1\ 000 = \underline{\hspace{2cm}}$	$70 \cdot \underline{\hspace{2cm}} = 7000$	A 12	3000 100
13.) ●●	$7\ 200 + (-700) = \underline{\hspace{2cm}}$	$30 \cdot (-40) = \underline{\hspace{2cm}}$	A 13	6500 -1200
14.) ●●	$\underline{\hspace{2cm}} - (+1\ 100) = 6600$	$39 : (-39) = \underline{\hspace{2cm}}$	A 14	+7 700 -1
15.) ●●	$\underline{\hspace{2cm}} : 40 = 88$	$\underline{\hspace{2cm}} + (-400) = 4100$	A 15	+3 520 +4 500

© 2015 Bernhard Storch

erstellt mit RAGTIME EDU tools



netzwerk
lernen

zur Vollversion

Die vier Grundrechenarten mit ganzen Zahlen

Code Nr. 49

Nr. 49

Name:
Klasse:

Datum:

1.) ●●	$2\ 000 - 2\ 000 = \underline{\hspace{2cm}}$	$3\ 400 - (-100) = \underline{\hspace{2cm}}$	A 1	0 3500
2.) ●●	$-4\ 000 : (-5) = \underline{\hspace{2cm}}$	$-1\ 000 - 3\ 000 = \underline{\hspace{2cm}}$	A 2	800 -4000
3.) ●●	$3\ 500 : (-50) = \underline{\hspace{2cm}}$	$5 \cdot 1\ 000 = \underline{\hspace{2cm}}$	A 3	-70 5000
4.) ●●	$-1\ 120 : (+560) = \underline{\hspace{2cm}}$	$-2\ 100 : (-70) = \underline{\hspace{2cm}}$	A 4	-2 30
5.) ●●	$-9 \cdot (-200) = \underline{\hspace{2cm}}$	$(+1\ 530) : (-51) = \underline{\hspace{2cm}}$	A 5	1800 -30
6.) ●●	$(-51) \cdot (-72) = \underline{\hspace{2cm}}$	$-1\ 593 : \underline{\hspace{2cm}} = -59$	A 6	3672 (+27)
7.) ●●	$-3\ 420 : (-380) = \underline{\hspace{2cm}}$	$50 \cdot (-50) = \underline{\hspace{2cm}}$	A 7	9 -2500
8.) ●●	$(-3\ 000) + \underline{\hspace{2cm}} = -5500$	$(+3\ 000) + (+2\ 000) = \underline{\hspace{2cm}}$	A 8	(-2 500) 5000
9.) ●●	$-2\ 040 : \underline{\hspace{2cm}} = 680$	$-513 : (+9) = \underline{\hspace{2cm}}$	A 9	3 -57
10.) ●●	$-3\ 000 : \underline{\hspace{2cm}} = -60$	$-6\ 700 + \underline{\hspace{2cm}} = -7500$	A 10	(+50) (-800)
11.) ●●	$(+50) \cdot \underline{\hspace{2cm}} = 2500$	$82 \cdot (-30) = \underline{\hspace{2cm}}$	A 11	50 -2460
12.) ●●	$(+7\ 200) - \underline{\hspace{2cm}} = 8200$	$-70 \cdot \underline{\hspace{2cm}} = -1400$	A 12	(-1 000) 20
13.) ●●	$\underline{\hspace{2cm}} + (+10\ 000) = 3000$	$-7\ 900 + 9\ 000 = \underline{\hspace{2cm}}$	A 13	-7 000 1100
14.) ●●	$\underline{\hspace{2cm}} \cdot 200 = 8200$	$\underline{\hspace{2cm}} : (-40) = -200$	A 14	41 8 000
15.) ●●	$-90 \cdot (-47) = \underline{\hspace{2cm}}$	$\underline{\hspace{2cm}} + (-5\ 500) = -4500$	A 15	4230 +1 000

© 2015 Bernhard Storch

erstellt mit RAGTIMEEDU tools



netzwerk
lernen

zur Vollversion

Die vier Grundrechenarten mit ganzen Zahlen

Code Nr. 50

Nr. 50

Name:
Klasse:

Datum:

1.) ●●	$(-1\ 000) - (+4\ 000) = \underline{\hspace{2cm}}$	$-1\ 000 + 5\ 000 = \underline{\hspace{2cm}}$	A 1	-5000 4000
2.) ●●	$400 - (-1\ 300) = \underline{\hspace{2cm}}$	$2\ 100 : 70 = \underline{\hspace{2cm}}$	A 2	1700 30
3.) ●●	$-3\ 000 : (-30) = \underline{\hspace{2cm}}$	$4\ 000 + 620 = \underline{\hspace{2cm}}$	A 3	100 4620
4.) ●●	$2\ 000 + (-2\ 200) = \underline{\hspace{2cm}}$	$(-3\ 700) + (-7\ 200) = \underline{\hspace{2cm}}$	A 4	-200 -10900
5.) ●●	$-1\ 000 + (-670) = \underline{\hspace{2cm}}$	$(-4\ 000) : 80 = \underline{\hspace{2cm}}$	A 5	-1670 -50
6.) ●●	$5\ 000 - \underline{\hspace{2cm}} = 4000$	$-2 \cdot \underline{\hspace{2cm}} = 4000$	A 6	1\ 000 (-2\ 000)
7.) ●●	$-5\ 280 : (-24) = \underline{\hspace{2cm}}$	$(-60) \cdot \underline{\hspace{2cm}} = -2400$	A 7	220 40
8.) ●●	$1\ 000 + (-2\ 600) = \underline{\hspace{2cm}}$	$(-6\ 000) + (+5\ 000) = \underline{\hspace{2cm}}$	A 8	-1600 -1000
9.) ●●	$40 \cdot \underline{\hspace{2cm}} = -2480$	$-60 \cdot 27 = \underline{\hspace{2cm}}$	A 9	(-62) -1620
10.) ●●	$(+7\ 120) : \underline{\hspace{2cm}} = 89$	$-3\ 440 : \underline{\hspace{2cm}} = 40$	A 10	80 86
11.) ●●	$(-84) \cdot \underline{\hspace{2cm}} = 3360$	$\underline{\hspace{2cm}} : 220 = -12$	A 11	(-40) -2\ 640
12.) ●●	$\underline{\hspace{2cm}} : (-100) = 70$	$\underline{\hspace{2cm}} + (-4\ 000) = -600$	A 12	-7\ 000 3\ 400
13.) ●●	$\underline{\hspace{2cm}} - (+1\ 800) = -3800$	$\underline{\hspace{2cm}} + (+900) = 6900$	A 13	-2\ 000 6\ 000
14.) ●●	$\underline{\hspace{2cm}} : (+50) = 80$	$\underline{\hspace{2cm}} - (+7\ 900) = -9900$	A 14	4\ 000 -2\ 000
15.) ●●	$\underline{\hspace{2cm}} + (-3\ 000) = -3600$	$-220 : \underline{\hspace{2cm}} = 22$	A 15	-600 (-10)

© 2015 Bernhard Storch

erstellt mit RAGTIME EDU tools



netzwerk
fernen

zur Vollversion

